





REVISION	PART NO.			SHEET 1
	FS*			
MODEL NO.	MTG. HOLE TH'D. TYPE	PORTS A,B,T	BODY DASH NO.	
FSC	INCH	.500 NPTF	-001	
FSK	INCH	SAE -10	-002	
FSV	METRIC	.500 BSPF	-003	






NOTE:
1) STONE FACE LIGHTLY AFTER STAMPING

ITEM	PART NO.	PART NAME	QTY.
2	340-004	PIPE PLUG	1
1	151-114-SEE CHART	BODY	1


UNLESS OTHERWISE SPECIFIED				TITLE 10GPM NFPA SUBPLATE FOR RELIEF VALVE "P" TO "T" SIDE PORTED				REVISION		PART NO.		SHEET 1			
DIMENSION TOL.				SCALE REF				MATERIAL		ALUM.					
.X ±.030				1:1				HEAT TREAT & FINISH		SUN hydraulics CORPORATION					
.XX ±.015				DRAWN RJB				CHECK JLB		1817 57TH STREET • P.O. BOX 3377					
.XXX ±.005				DATE 11-20-84				DATE 1-21-84		SARASOTA, FLORIDA 33578					
ANGLE TOL. ±1°				RELEASE 676				DATE 12/3/84		TELEPHONE 813/355-2983					
FINISH 125															
REMOVE ALL BURRS															
REVISED NOTE				DATE				CHECK		REL.					
LET.				REVISION				DATE				CHECK			

REVISION	PART NO. FS*			SHEET 2
MODEL NO.	MTG. HOLE THD. TYPE	PORTS A,B,P,T	BODY DASH NO.	
FSD	INCH	.750-14 NPTF	-001	
FSL	INCH	SAE -12	-002	
FSW	METRIC	.750-14 BSPP	-003	



INCH THREAD
NFPA D02 MTG.
.250-20 UNC X .50 DP
TYP. (4) PLCS.

METRIC THREAD
M6 X 1.0-6H X .50 DP
TYP. (4) PLCS.



NOTE:

1) STONE FACE SLIGHTLY AFTER STAMPING

UNLESS OTHERWISE SPECIFIED				TITLE 10 GPM NFPA SUBPLATE FOR RELIEF VALVE "P" TO "T" SIDE PORTED				REVISION		PART NO. FS*		SHEET 2	
DIMENSION TOL.				SCALE 1:1				REF		MATERIAL		HEAT TREAT & FINISH	
.XX = 2.030				DRAW RJB				CHECK JLB		RELEASE 676		DATE 11-20-84	
.XX = 2.015				DATE 11-20-84				DATE 11-20-84		DATE 12/3/84		DATE 12/3/84	
.XX = 2.005				DATE 11-20-84				DATE 11-20-84		DATE 12/3/84		DATE 12/3/84	
ANGLE TOL. 1°				DATE 11-20-84				DATE 11-20-84		DATE 12/3/84		DATE 12/3/84	
FINISH 125				DATE 11-20-84				DATE 11-20-84		DATE 12/3/84		DATE 12/3/84	
REMOVE ALL BURRS				DATE 11-20-84				DATE 11-20-84		DATE 12/3/84		DATE 12/3/84	
REVISED NOTE				DATE 11-20-84				DATE 11-20-84		DATE 12/3/84		DATE 12/3/84	
LET.				DATE 11-20-84				DATE 11-20-84		DATE 12/3/84		DATE 12/3/84	
REVISION				DATE 11-20-84				DATE 11-20-84		DATE 12/3/84		DATE 12/3/84	
DATE 11-20-84				DATE 11-20-84				DATE 12/3/84		DATE 12/3/84		DATE 12/3/84	
CHECK				DATE 11-20-84				DATE 11-20-84		DATE 12/3/84		DATE 12/3/84	
REL.				DATE 11-20-84				DATE 11-20-84		DATE 12/3/84		DATE 12/3/84	

ITEM

2	340-004	PIPE PLUG	1
1	151-116-CHART	BODY	1
PART NO.	PART NAME	QTY.	

ALUM.




SUN hydraulics CORPORATION

1817 57TH STREET • P.O. BOX 3377

SARASOTA, FLORIDA 33578

TELEPHONE 813/355-2983

SYMBOL



REVISION B PART NO. SHT 3 FS*

MODEL NO.	MTG. HOLE THD. TYPE	PORTS A, B, P, T	GAGE PORT	BODY DASH
FSB	INCH	.375 NPTF	.250 NPTF	-001
FSJ	INCH	SAE -8	.250 NPTF	-002
FSU	METRIC	.375 BSPP	.250 BSPP	-003

NOTES:

1) STONE FACE LIGHTLY AFTER STAMPING

LET.	REVISION	DATE	CHECK	REL.
-	ADDED NOTE	15 FEB 80	SPJ	DS
B	ADDED .156 DIA. PIN HOLE TO AGREE W/BODY	3-9-83	HP	DA 337
A	IN F/D CHART ADDED METRIC THREAD CALLOUT	3-9-79	JCR	HHF

UNLESS OTHERWISE SPECIFIED
DIMENSION TOL.
.X = ±.030
.XX = ±.015
.XXX = ±.005
ANGLE TOL. ±1°
FINISH 125
REMOVE ALL BURRS

OUTLINE & ASSEMBLY

TITLE 5GPM NFPA SUBPLATE FOR RELIEF VALVE - "F" TO "T" SIDE PORTED			
SCALE 1:1	REF.	MATERIAL ALUMINUM	
DRAWN HRP	CHECK J.O.A.	RELEASE	HEAT TREAT & FINISH
DATE 6-16-78	DATE 9-20-78	DATE	

REVISION B PART NO. SHT 3 FS*

SUN hydraulics
CORPORATION
1817 57TH STREET - P.O. BOX 3377
SARASOTA, FLORIDA 33578
TELEPHONE 813/356-2883